BEXHILL STEELWORKS

Farm Gates & Fencing

MATERIALS & SUPPLIES

www.farmgatesfencing.co.uk













NO PAYPAL ACCOUNT NEEDED Usual delivery 7-10 days **PRICES EX VAT**



01424 844702 or 07971 882241



sales@farmgatesfencing.co.uk









Galvanised 7 Bar Metal Field Gate with D-Loop Fastening

A superior seven rail metal field gate with D-loop fastening.

The punched hole bracing gives this popular mid range gate superior strength to last in the field or farm.

This hot dip galvanised gate is suitable for use with most livestock.

0.9m - 4.8m length gates available.

50 x 50mm rectangular hollow section hang style.

50 x 25mm rectangular hollow section latch style.

Sleeved eye holes.

Compatible with our HYDRAULIC GATE CLOSER









Galvanised 7 Bar Metal Field Gate with Spring Bolt Fastening

A superior seven rail metal field gate with spring bolt fastening.

The punched hole bracing gives this popular mid range gate superior strength to last in the field or farm.

This hot dip galvanised gate is suitable for use with most livestock.

0.9m - 4.8m length gates available.

50 x 50mm rectangular hollow section hang style.

50 x 25mm rectangular hollow section latch style.

Sleeved eye holes.



Galvanised 7 Bar Metal Gate Pair

Seven rail hot dip galvanised field gates with pre drilled top rail for padlockable throw over.

Fully welded with prefixed drop bolt plus sleeved eye holes and hole punched bracing.

Total gate widths 3660mm/12ft right up to 9150mm/30ft.

Compatible with our HYDRAULIC GATE CLOSER



Galvanised Half Mesh Gates Spring Bolt Fastening

A five rail metal gate with 75mm square mesh covering the lower half - with spring bolt fastening.

The ideal gate for containing lambs and small dogs.

Channel or rectangular hollow section hang style.

Widths 2440mm/8ft right up to 4575mm/15ft.









Galvanised Half Mesh Gates D-Loop Fastening


A five rail metal gate with 75mm square mesh covering the lower half - with D-loop fastening.

The ideal gate for containing lambs and small dogs.

Channel or rectangular hollow section hang style.

Widths 2440mm/8ft right up to 4575mm/15ft.

Compatible with our HYDRAULIC GATE CLOSER



5 Rail Cattle Yard Gate Sliding Bolt - Galvanised

The 5 rail cattle yard gate is a strong gate suitable for use in open dairy cattle yards.

Supplied as standard with keyhole/pendulum sliding bolt and sleeved 50x50mm box section hanging stile.

Top and bottom rails are 48.3mm o/d whilst the intermediates are 44.5mm o/d. 1143 high.

Sizes: 1220mm-4880mm / 4ft-16ft












The 2-in-1 gate incorporates a self-closing step gate into a standard field gate. 2-in-1 gates are designed to incorporate a pedestrian gate into a field gate, thereby allowing pedestrians easy access to the right of way and vehicular access when required - particularly useful in spaces where there is not enough room for both a field gate and pedestrian gate. 4600mm width.

- Galvanised gate gives longevity in even the most rural of locations
- The pedestrian gate is secured using an Easy Latch
- The pedestrian gate will automatically close from fully open
- Pedestrian gate leaf: 950mm high x 700mm wide
- Installed height 1200mm
- 139mm diameter hang and slam post required to complete the system
- For additional cost opposite handed version can be made to order




Big Bar Gate

- 1143mm high
- Box section RHS bracing for improved strength
- Top and bottom rails 44.5mm dia tube
- Intermediate rails 35mm dia tube
- Spring loaded sliding bolt fastening
- 50x50mm SHS sleeved hanging stile
- A full range of sizes 610mm 4880mm
- Bespoke sizes available at extra cost









Meshed Deer / Security Gate 1.8m High

Meshed security gates - galvanised.

Fully meshed and supplied with a padlockable sliding bolt as standard. These gates are universal so may be hung left or right.

Sizes: 1200mm (4ft) / 3050mm (10ft) / 3600mm (12ft)



Metal Barrier Gate 4.57m c/w posts

Extra wide metal barrier gate - galvanised.

114.3mm dia round metal posts inverted top hinge hanging post.

114.3mm dia round slotted latch posts.

Padlockable sliding latch.

Hot dip galvanised.

Other lengths available 2.4m, 3.05m, 3.6m and 6.1m.









Kissing Gate - Galvanised

Kissing gates are a common site in the English countryside and are used for public access within a fence line.

The benefit of using a kissing gate over a stile is access is easier for the less mobile and ramblers with dogs.

A very strong galvanised system.

Made from 40mm galvanised steel this product could potentially last a lifetime.

Simple to install, the framework bolts the system together to prevent any post movement while the gate self closes against the frame.



Bridle Gate In Frame - 5 Rail Galvanised With Part Meshed Base

1540mm wide x 1220mm high supplied in one unit, for added strength and ease of installation.

The standard gate has a fitted self closing mechanism, this can be ordered without if required.

An extended handle enables easy opening from horseback, and a lower handle for wheelchair users.

Galvanised finish, price includes posts.









4 Rail Fully Meshed Gate - Sliding Bolt - Galvanised - Right Handed

Fully meshed gate fitted keyhole/pendulum sliding bolt. A box section hanging and slam stile are complimented with all the rails being 44.5mm o/d tube and clad with 75 x 75mm mesh.

Height 1143mm.

Spring bolts and adjustable eyes supplied loose.

Special slam post required.

Sizes: 610mm-4880mm / 2ft-16ft



4 Rail Fully Meshed Gate - Sliding Bolt - Galvanised - Left Handed

Fully meshed gate fitted keyhole/pendulum sliding bolt. A box section hanging and slam stile are complimented with all the rails being 44.5mm o/d tube and clad with 75 x 75mm mesh.

Height 1143mm.

Spring bolts and adjustable eyes supplied loose.

Special slam post required.

Sizes: 610mm-4880mm / 2ft-16ft











Double braced field gate ideal for use where extra height is required. Sleeved box section hanging stile and spring bolt are standard features.

All horizontal rails are 44.5mm diameter tube.

Height 1525mm / 5ft.

Sizes: 610mm-4880mm / 2ft-16ft









Buxton Sheeted Metal Gate - Sliding Bolt Fastening - Galvanised

Ideal for use in exposed positions, this heavy duty (any hand) 4 railed sheeted gate.

50 x 50mm box section frame.


50 x 30mm box section infills and sleeved hanging stile. Clad to one face with pre-galvanised sheet and fitted keyhole/pendulum type sliding bolt.

Height 1270mm.

Suitable for any cattle breed.

25mm eyes - supplied loose.

Sizes: 610mm-4880mm / 2ft-16ft




Wheeled Cattle Hurdle - Hook & Chain Fastening - Galvanised

Ideal for situations where a temporary/moveable barrier is required. Height 1605mm.

Complete with hook and chain fastenings.

Sizes: 3660-4575mm / 12-15ft



10 Rail Metal Deer Gate - Sliding Bolt Fastening - Galvanised

Height 1860mm.

20mm eyes - supplied loose.

Sizes: 610mm-4880mm / 2ft-16ft









Gatemaster Hydraulic Gate Closer & Hinge Kit

This hydraulic APS closer safely and reliably closes gates weighing up to 120kg, and requires no power.

It is discreetly mounted and welded underneath the gate, concealed within a vandal resistant steel case. It also acts as a load bearing lower hinge, and may be used for left or right handed gates.

Adjustable closing speed using the special key provided. The latching speed can be set separately.

The top bracket is fully adjustable, allowing the gate to be correctly positioned after installation.

Gate may be opened both ways if required.

The APSSTOP kit utilises a built-in stop hinge to prevent the gate opening beyond 100°.









6 Bar Hardwood Gate - Heavy Bottom Rail

Hardwood 6 bar entrance gate with heavy bottom rail

6 rail gate - a great option for dog owners.

Suitable for electric gate installations.

Heavy bottom rail 70mm x 70mm.

Stain can be added to suit your preference or surroundings.

Diamond braced design provides added strength to the gate.

Morticed rails and cross bracing ex70mm x 20mm are all held together with zinc coated nuts and bolts.

Stiles are 95mm x 70mm both with rounded tops.

Height to top of hanging stile is 1.2m (47").

Standard sizes range from 0.9m (3") to 4.57m (15").

Compatible with our GATE AUTOMATION SYSTEMS

CAN BE HUNG LEFT OR RIGHT



Universal Iroko Hardwood Gate - 5 Bar

The double cross-bracing gives this wooden 5 bar gate it's distinctive style, commonly seen around the countryside and farm.

The tapered top rail is designed to reduce the pressure on the hanging stile.

Available in both right and left hand hanging. They can be hung as a single leaf or alternatively a combination for wider entrances.

Iroko - The premier hardwood, with the appearance and qualities of teak. Planed and sanded mid brown finish. Much lighter in weight than that of Oak and Keruing, reducing the pressure being put on the fittings and head stock. No treatment required, although a coating of teak oil annually will help maintain its natural colour.

Sizes: 0.9 - 3.6m left or right hanging.

Compatible with our GATE AUTOMATION SYSTEMS



Yeoman Softwood Gate Kit 3.6m - 5 Bar

Gate Kit Includes:

1 x 3.6m softwood Yeoman 5 bar entrance gate

1 x galvanised fittings

2 x 2.4m x 175mm x 175mm UC4 four way weathered posts Left or right hanging.

Compatible with our GATE AUTOMATION SYSTEMS









Cleft Chestnut Wood Fencing - 87 metres

For additional barbed wire or mesh panel please call us.



Wooden Gate Hinge/Hanging Set 600mm Galvanised

A 600mm adjustable hinge set, complete with bolt and drive to hang a gate.

Suitable for gates 2.4m - 4.2m to be used with wooden posts.

Also shown is a 'spring catch set' to close the gate. (Please note the price is for the hinge set only shown in the picture on the left.)









Yeoman Softwood Wooden Gate - 5 Bar

Manufactured by Wheelwrights in years gone by, the Yeoman still remains the premier 5 bar entrance gate to enhance any property.


This gate can be hung on its own, single leaf, left or righthanded, or as a pair in any combination.

For example - a 3.0 metre for car access with a 1.2m pedestrian access.

Sizes: 0.9 - 3.6m.

Left or right hanging.

Compatible with our GATE AUTOMATION SYSTEMS



Standalone Dogway

The Dogway is made from recycled plastic and timber with Galvanised steel brackets.

Height is 1-2m and 500mm wide post to post.

The handle for the latch is easy to use from either side and the latch is light to lift.

The Standalone Dogway is designed to fit in the fenceline alongside a stile.









Hanging Post Galvanised

Galvanised steel hanging post to suit our range of metal gates.

114mm x 2m

114mm x 2.286m

114mm x 3.05m

100mm x 2m



Slotted Post Galvanised

Galvanised steel slotted post to suit our range of metal gates with a S-bolt fastening.

89mm x 2m

114mm x 2m

114mm x 2.59m

100mm x 2m



Double Slotted Post Galvanised

Galvanised steel slotted post to suit our range of metal gates with a S-bolt fastening.

114mm x 2m 90°

114mm x 2m 180°









Simple Drop Over Frame

Galvanised steel.



Bolt-On Drop Bolt

Galvanised steel.



Ground Socket 114.4mm O.D. x 0.61m

Designed to make the gate post removable, ideally suited to the dual slotted latch post, the removal enabling large machinery to pass.

Simple installation - just excavate and concrete in.

Hot dip galvanised finish.

114.4mm o.d.

610mm long.

3mm thick.

All ground sockets come with a removable lid enabling the socket to be blocked off once the post has been removed.



Metal Gate Fixing Kit

Includes all the fixings needed to hang and close our range of metal gates on wooden posts.

Includes:

1 x Hinge hook to bolt

1 x Hinge hook to drive

1 x large auto catch

2 x 75mm coach screw









K POST Mix - Rapid Setting Concrete 20kg

K POST is a rapid setting concrete for securing metal, wood and concrete posts and is now available in showerproof 20kg sacks.

Suitable for use on fences, decking, gazebos etc.

Ready to use.

No mixing is required.

Application is in 3 easy steps.

Sets in 5 to 10 minutes.

Finished job within hours.

New showerproof, tough packaging benefits:-Store on-site in all weathers - No need to cover - Stronger more durable 20kg sacks - Reduces waste and damage - Non-slip bag -Cleaner and safer handling.



Gravity Catch To Fix In Concrete - Galvanised

Galvanised steel.



Padlockable Heavy Duty Drop Over Frame For Gate Pairs - Galvanised

Galvanised steel.

CLICK FOR WEBSITE







Hook on Hinge Plate Galvanised

Includes all the fixings needed to hang and close our range of metal gates on wooden posts. 100x100x5mm. 19mm diameter hook.

Includes:

1 x Hinge hook to bolt

1 x Hinge hook to drive

1 x large auto catch

2 x 75mm coach screw



Gate Post - UC4 Treated Redwood

Treated UC4 timber gate post with a pyramid top.

125x125mm x 2.1m

150x150mm x 2.1m

175x175mm x 2.1m

125x125mm x 2.4m

150x150mm x 2.4m

175x175mm x 2.4m

200x200mm x 2.4m



Spring Catch Set

Galvanised steel.



Padlockable Garage Drop Bolt

Galvanised steel.







BEXHILL STEELWORKS

Farm Gates & Fencing

MATERIALS & SUPPLIES

www.farmgatesfencing.co.uk

t: 01424 844702 or 07971 882241 e: sales@farmgatesfencing.co.uk

Bexhill Steelworks Limited Unit 3, Breadsell Farm St Leonards-on-Sea TN38 8EB Registered in England: Company No. 05368388, VAT No. 850735425

Terms & Conditions

Our Terms & Conditions are simple: you pay us & we promise to deliver exactly what you have ordered.

Return/Cancellation Policy

Any faulty item must be returned within 7 days of receipt and will be replaced free of charge. Any non faulty item must be returned within 7 days of receipt and monies will be refunded minus a 20% administration fee.

Delivery Policy

Gates are £25 per consignment for mainland UK. Parts only are £10 per consignment for mainland UK.





BEXHILL STEELWORKS

Key clamp fittings at great prices!

www.keyclamphandrails.co.uk

BEXHILL STEELWORKS

Top quality metal parts

FREE delivery on orders over £250.

www.ironfinials.co.uk



BEXHILL STEELWORKS

Gate Security Locks

www.gatesecuritylocks.co.uk